

SPA

Series

FICC

Desire is driving us to find, to pursue the power, it is no good or bad; Sex and the city series want to show the beautiful city, a positive way. It through the bold and straightforward design reveals a kind of challenge, indulge in urban spirit.





SPA SERIES

一丝清泉，流淌于两条弧线相拥而成的空间里，荡起一朵朵水花，拂去您颊上的俗粉，轻抚您的明眸，此刻，我又寻回了自我。

When the clean water flowing in the space formed by two camber lines remove the dust on your face and gently flow over your eyes with by splashing, you find yourself of truth.






FC-S002

2000×2000×950mm


大池	SPA
SS-05 控制系统	SS-05 Control System
AA-16 蓝牙音乐	AA-16 Bluetooth Music
空缸重量: 425KG	Empty Tub Weight: 425KG
加水后重量: 1625KG	Weight with water: 1625KG
水容量: 1200L	Water Capacity: 1200L
额定电压: 220~240V/50Hz	Voltage: 220~240V/50Hz
总功率: 5.8kw	Total Power: 5.8kw
水泵: 2HP×2 + 0.5HP×1	Water pump: 2HP×2 + 0.5HP×1
恒温器 :3.0kw	Surf Massage Thermostat: 3.0kw
LED 变色灯 : 七彩	LED Color Light: Colorful
音响: 升降	Audio Devices: Lift
消毒: 是	Purify Devices: YES
使用人数: 4	Users: 5
大喷嘴: 11	Big Jets: 4
小喷嘴 :25	Small Jets: 25
空气调节器: 4	Air Adjuster: 4
分水调节器: 2	Watershed Adjuster: 2
水过滤器: 双滤芯	Water Filter: Double Filtered
蓝牙音乐: 是	Bluetooth Music: YES
底部保温层 : 是	Insulation Layer: YES
泡泡浴喷嘴 : 14 (选配)	POPO Jets:14 (Optional)
满天星 : 17 (选配)	LED Light:17 (Optional)



FC-S003

2200×2200×950mm

大池	SPA
SS-05 控制系统	SS-05 Control System
AA-16 蓝牙音乐	AA-16 Bluetooth Music
空缸重量: 410KG	Empty Tub Weight: 410KG
加水后重量: 1880KG	Weight with water: 1880KG
水容量: 1460L	Water Capacity: 1460L
额定电压: 220~240V/50Hz	Voltage: 220~240V/50Hz
总功率: 5.8kw	Total Power: 5.8kw
水泵: 2HP×2 + 0.5HP×1	Water pump: 2HP×2 + 0.5HP×1
恒温器 :3.0kw	Surf Massage Thermostat: 3.0kw
LED 变色灯 : 七彩	LED Color Light: Colorful
音响: 升降	Audio Devices: Lift
消毒: 是	Purify Devices: YES
使用人数: 5	Users: 5
大喷嘴: 18	Big Jets: 18
小喷嘴 :31	Small Jets: 31
空气调节器: 3	Air Adjuster: 3
分水调节器: 2	Watershed Adjuster: 2
水过滤器: 双滤芯	Water Filter: Double Filtered
蓝牙音乐: 是	Bluetooth Music: YES
底部保温层 : 是	Insulation Layer: YES
泡泡浴喷嘴 : 18 (选配)	POPO Jets:18 (Optional)
满天星 : 18 (选配)	LED Light:18 (Optional)






FC-S004

2000×1700×950mm


大池	SPA
SS-05 控制系统	SS-05 Control System
AA-16 蓝牙音乐	AA-16 Bluetooth Music
空缸重量: 310KG	Empty Tub Weight: 310KG
加水后重量: 1270KG	Weight with water: 1270KG
水容量: 745L	Water Capacity: 745L
额定电压: 220~240V/50Hz	Voltage: 220~240V/50Hz
总功率: 5.0kw	Total Power: 5.0kw
水泵: 3HP×1 + 0.5HP×1	Water pump: 3HP×1 + 0.5HP×1
恒温器 :3.0kw	Surf Massage Thermostat: 3.0kw
LED 变色灯 : 七彩	LED Color Light: Colorful
音响: 升降	Audio Devices: Lift
消毒: 是	Purify Devices: YES
使用人数: 4	Users: 4
大喷嘴: 9	Big Jets: 9
小喷嘴 :24	Small Jets: 24
空气调节器: 3	Air Adjuster: 3
分水调节器: 1	Watershed Adjuster: 1
水过滤器: 双滤芯	Water Filter: Double Filtered
蓝牙音乐: 是	Bluetooth Music: YES
底部保温层: 是	Insulation Layer: YES
泡泡浴喷嘴: 13 (选配)	POPO Jets:13 (Optional)
满天星: 14 (选配)	LED Light:14 (Optional)



FC-S005

2200×2000×950mm


大池	SPA
SS-05 控制系统	SS-05 control system
AA-16 蓝牙音乐	AA-16 Bluetooth Music
空缸重量: 375KG	Empty Tub Weight: 375KG
加水后重量: 1425KG	Weight with water: 1425KG
水容量: 1050L	Water Capacity: 1050L
额定电压: 220~240V/50Hz	Voltage: 220~240V/50Hz
总功率: 5.8kw	Total Power: 5.8kw
水泵: 2HP×2 + 0.5HP×1	Water pump: 2HP×2 + 0.5HP×1
恒温器 :3.0kw	Surf Massage Thermostat: 3.0kw
LED 变色灯 : 七彩	LED Color Light: Colorful
音响: 升降	Audio Devices: Lift
消毒: 是	Purify Devices: YES
使用人数: 4	Users: 4
大喷嘴: 11	Big Jets: 11
小喷嘴 :29	Small Jets: 29
空气调节器: 2	Air Adjuster: 2
分水调节器: 2	Watershed Adjuster: 2
水过滤器: 单滤芯	Water Filter: Only Filtered
液晶电视: 是	LCD TV: YES
底部保温层: 是	Insulation Layer: YES
泡泡浴喷嘴: 20 (选配)	POPO Jets:20 (Optional)
满天星: 20 (选配)	LED Light:20 (Optional)





FC-S006
2350×2200×950mm

大池	SPA
SS-05 控制系统	SS-05 control system
AA-16 蓝牙音乐	AA-16 Bluetooth Music
空缸重量：458KG	Empty Tub Weight: 458KG
加水后重量：1708KG	Weight with water: 1708KG
水容量：1250L	Water Capacity: 1250L
额定电压：220~240V/50Hz	Voltage: 220~240V/50Hz
总功率：5.8kw	Total Power: 5.8kw
水泵：2HP×2 + 0.5HP×1	Water pump: 2HP×2 + 0.5HP×1
恒温器 :3.0kw	Surf Massage Thermostat: 3.0kw
LED 变色灯：七彩	LED Color Light: Colorful
音响：升降	Audio Devices: Lift
消毒：是	Purify Devices: YES
使用人数：4	Users: 4
大喷嘴：12	Big Jets: 12
小喷嘴 :42	Small Jets: 42
空气调节器：3	Air Adjuster: 3
分水调节器：2	Watershed Adjuster: 2
水过滤器：双滤芯	Water Filter: Double Filtered
液晶电视：是	LCD TV: YES
底部保温层：是	Insulation Layer: YES
泡泡浴喷嘴：19（选配）	POPO Jets:19 (Optional)
满天星：22（选配）	LED Light:22 (Optional)



BATHTUB

Series

Classical design, distinct and tough lines, sharp-featured appearance can boost your spirit. The light refracts through water. The glinting, rippling ribbon of water will certainly stop your steps and attract you to soak yourself in the glittering ripples.

SPA
TECHNOLOGY

大池技术

CE standard plug configuration
CE 标准无插电源线配置

AA-16
Hi-Fi Bluetooth music system
control panel

Hi-Fi 智能蓝牙音乐系统
控制面板



内装，自动连接



Surfing water cycle
冲浪回水

drain
排水口

Air adjuster
空气调节

The pillow
枕头



SS-05
SPA computer
control panel

大池
电脑控制面板

Ergonomic position
人体工程学体位

Surfing hydraulic
transformation
冲浪水力转换

Nanometer spray
纳米喷头

Surfing spray
冲浪喷头


附：所有电脑控制系统不带插头！
PS: All computer control system without plug!

Color option for acryl
缸体面材



珍珠白 ZG-501 白云灰 YC-213 白云兰 YC-202 珠光黑云 ZG-313 珠光绿云 ZG-333 珠光兰云 ZG-316

Spa Accessories Standard
大池标配配件



Spa Accessories Optional
大池选配配件



SPA COMPUTER CONTROL SYSTEM

大池电脑控制系统

Three Water Massage Pump, Air Bubble (optional), Thermostatic, Preheat Temperature Timely, Water Cycle Function, Auto-Water Cycle Timer Function, Underwater Color Light, Ozone Purify, Intelligent Key Lock Function, Celsius Degrees, Fahrenheit Degree.

冲浪按摩 x3, 泡泡浴 (选配), 恒温功能, 恒温定时预热, 水循环功能, 定时自动水循环功能, 水底变色灯, 臭氧消毒功能, 智能童锁功能, 摄氏度, 华氏度。




SS-05

SPA computer control panel
大池电脑控制面板



SS-05

SPA computer control mainboard
大池电脑控制主板



Power input interface
单相 / 三相电源输入接口

CPU control system
控制系统高性能 CPU

The power output
按摩电源输出

CE control switch
CE 标准控制开关

Constant temperature equipment
不锈钢智能恒温设备




BATHTUB

31


FC-A801
2000x2000x840mm

AA-07HF control system
Size: 2000 × 2000 × 840 mm
Rated power: 3.8kw
Water pump: 2HP
Thermostat: 2.0kw
Bubble bath: 300w

Optional: LED Babysbreath




高 H=840



FC-A102
2000x2000x840mm

AA-07HF control system
Size: 2000 × 2000 × 840 mm
Rated power: 3.8kw
Water pump: 2HP
Thermostat: 2.0kw
Bubble bath: 300w

Optional: LED Babysbreath




高 H=840



FC-A106
1800x1800x820mm

BB.07HFdpouspm!tzufn
Size : 1800 × 1800 × 820 mm Rated power: 3.2kw
Water pump: 1.2HP Thermostat: 2.0kw
Bubble bath: 300w


Optional : AA-16 Bluetooth



FC-A603A
1800x1800x820mm

AA-12 control system
Size : 1800 × 1800 × 820 mm
Rated power: 3.2kw
Water pump: 1.2HP
Thermostat: 2.0kw
Bubble bath: 300w

Optional : AA-16 Bluetooth



FAR INFRARED RAYS



Several reasons for choosing carbon fiber heating plates:

Advantage 1: The indoor environment of the light wave is more comfortable and pleasant, and the sun bath is felt. In addition, the product quality inspection center determines that the wavelength is concentrated in the 8–15 μ band, covering the infrared light wavelength of the sun's rays, and letting your room full of sunshine.

Advantage 2: Avoid air convection, hygiene and environmental protection Radiative heating uses the far-infrared radiation to radiate heat, heats the indoor objects directly without heating the air. Does not cause indoor heat, odor, skin loss, dry mouth, indoor dust, dirty air convection.

Advantage 3: Higher thermal performance and more stable carbon fiber is a kind of full blackbody material for electric heating. The conversion rate of electric energy can reach over 99%. In the process of electric heating, the tensile strength is strong.


There is no great change in degree. In the early stage, after being processed by science and technology, it is not oxidized in the high temperature state, and the current load per unit area does not occur.

Advantage IV: Low-cost operation, high-quality enjoy infrared radiation sweat steam, carbon fiber heat conversion rate is high. Carbon fiber heating plate is a high-tech carbon fiber material for the heating body carbon fiber surface heating material, to overcome the other long-term use of other heating materials over-current between electrodes, easy to break, overheating of the heating element, easy to fall off, low dielectric strength, heat resistance Poor and other shortcomings.

Advantage 5: Safe and reliable, long service life The insulation strength reaches the national standard 3750V, the highest breakdown voltage is 10,000V, the fire detection oxygen index reaches 34%, the service life can reach 100,000 hours, and it does not fall off, does not break, can be waterproof, moisture-proof .




CUSTOMIZE DESIGN



FC-B1001A

1000 × 1000 × 2000mm



B10
Series

INFRARED LIGHT
WAVE ROOMC


We pursue pleasant and leisurely life style. However, in rip-roaring city, onerous work and tedious living exhaust both body and mind of modern people. Only discharging such complicated and busy burden can people experience the joy of shower.

B10 Series

INFRARED LIGHT
WAVE ROOMC

FC-B1002A

1000 × 1500 × 2000mm



B3 Series

INFRARED LIGHT
WAVE ROOMC

FC-B301A

1000 × 1000 × 2000mm





B3
Series

INFRARED LIGHT
WAVE ROOMC

FC-B303B

1500 × 1000 × 2000mm

Share the beautiful and practical bathroom. The space is brimming with the delightful family warm atmosphere. Each people loving family can feel it.

B3 Series

INFRARED LIGHT
WAVE ROOMC

FC-B306A

1300 × 1300 × 2000mm



B4
Series

INFRARED LIGHT
WAVE ROOMC

FC-B401B

1000x1000x2000mm





B4
Series

INFRARED LIGHT
WAVE ROOMC

FC-B403A

1500 × 1000 × 2000mm

Dignity and extraordinary
It's the time to enjoy luxury when confidence meets willfulness. It's
the time of crazy pattern if disobeying code of conduct. At this very
moment, let's enjoy luxury, enter your exclusive shower room, and
experience dignity and extraordinary.



B4

INFRARED LIGHT
WAVE ROOMC

FC-B406A

1300X1300X2000MM




CUSTOMIZE DESIGN

FC-B301A

Infrared Heating board
BB-12 Control system
Size: 1000x1000x2000mm

Termpered glasa: 8mm
Power rate: 3KW

Customized:
L : 900~1200mm
W: 900~1200mm
H: 2000mm




CUSTOMIZE DESIGN

FC-B401A

Infrared Heating board
BB-12 Control system
Size: 1000x1000x2000mm

Termpered glasa: 8mm
Power rate: 2.5KW

Customized:
L : 900~1400mm
W: 900~1400mm
H: 2000mm




FC-B303A

Infrared Heating board
BB-12 Control system
Size: 1500x1000x2000mm

Termpered glasa: 8mm
Power rate: 3KW

Customized:
L : 1300~1800mm
W: 1300~1800mm
H: 2000mm




FC-B403A

Infrared Heating board
BB-12 Control system
Size: 1500x1000x2000mm

Termpered glasa: 8mm
Power rate: 3KW

Customized:
L : 1300~1800mm
W: 1300~1800mm
H: 2000mm




FC-B306A

Infrared Heating board
BB-12 Control system
Size: 1300x1300x2000mm

Termpered glasa: 8mm
Power rate: 3KW

Customized:
L : 1300~1500mm
W: 1300~1500mm
H: 2000mm




FC-B406A

Infrared Heating board
BB-12 Control system
Size: 1300x1300x2000mm

Termpered glasa: 8mm
Power rate: 3KW

Customized:
L : 1300~1500mm
W: 1300~1500mm
H: 2000mm




WHAT IS THE FAR INFRARED RAYS

The sunlight includes visible lights,and invisible lights such as infrared and ultraviolet ray,electromagnetic wave produced by infrared is same as visible light produce,it occupy 59% of the sunlight.Infrared includes:near-IR,mid-IR,far-IR.

Most of the organism and water absorb spectrum between 3~20μ m.When the wavelength of radiant point is same as the absorb wavelength of heated matter,the matter is easy to absorb infrared,and the far infrared radiate wavelength is 6~15(μm) microns,right in this range,therefore most energy of far infrared is easy to absorbed by matters,warm rapidly as well.Meanwhile,when the infrared radiate heat matter, it works at the position which infrared radiation can penetrate through,so temperature is always higher than surface.

Nowaday science prove, if the far-IR radiation among 6~15(μm) microns synchronizes the wavelength that the main matters within the body of a living thing(water,protein and carbohydate) can absorb, the best absorption will be achieved. All things should absorb far-IR to maintain living. Thus, people call the far-IR will not stimulate human body, but can strengthen human body's energy, motivate molecules and atom of cells within the body to resonate to lift the temperature under and on the surface of the skin. Thus, the blood circulation is improved, the metabolism boosted an the immunity strengthened.



THE BENEFITS OF FAR INFRARED RAYS LIGHT BATH ROOM

As a new type of sanitary ware, light bath rooms have begun to attract the attention of consumers. The wave bath room is the third-generation health bathing equipment popular in Europe and the United States. It uses far infrared rays of 5.6 to 15 microns as the main energy, adopts the world's popular low-temperature sweating technology, and can enjoy music easily while bathing. The human body has a good health care effect. In order to achieve the best body conditioning, skin health body effect.

From the surface, the far-infrared wave bath room is like a sauna, the same wooden structure, the same chair, but the working principle is completely different. Inside the sauna there is an electric stove, which generates high-temperature steam by splashing water. The steam conducts heat to promote perspiration. The principle of the optical bath is to use far-infrared radiation, because the human itself is both the source of far-infrared radiation and the receiver. The far-infrared rays emitted from the optical bath room are close to the natural frequency of human cells, so it can penetrate the skin and subcutaneous tissue. Resonance effects are generated so that molecular motion becomes active and cell activity becomes active. This increases blood flow and accelerates metabolism. Since far-infrared rays at this frequency only affect the human body, the air does not heat up when the light-wave bath works, but the human body also sweats at low temperatures.

Since there is no need for high-temperature steam, light bath rooms have many advantages over saunas:

The first is more comfortable, the air can circulate, there is no sense of boredom, you can also listen to music in the hut and read books;

The second is its physiotherapy function, far-infrared wave bath room has therapeutic effects on frozen shoulder, cervical spondylopathy and other conditions;

Third, the light bath room has a more convenient temperature adjustment and control device, more energy-efficient than the sauna.

Optical bath room also called: far-infrared sauna, light wave room, far-infrared light wave room, far-infrared light wave bath room, spectrum energy house, far infrared sweat steam room.



FAR INFRARED RAYS

CARBON FIBER HEATING TUBE

The carbon fiber heating tube applies voltage across the carbon fiber, and the far-infrared carbon fiber radiates energy in far-infrared fashion, People do not feel bored in the light room. The metal heat pipe is heated by its own resistance after the metal wire is energized, and then heat is dissipated as heat conduction.

Carbon fiber heating tube features:
heat transfer method:

Carbon fiber heating system more than 75% of the heat energy in far-infrared way, carbon fiber heating wire is a pure black body material, little visible light in the electrothermal conversion process, electrothermal conversion efficiency of 95% or more than nickel, chromium, tungsten, molybdenum, etc. to the material as heat The body heater saves 30%.

Safety and environmental stability:

The carbon fiber heating tube adopts a parallel circuit so that the current of each heating wire is not more than 0.8A, and only one metal heating wire is more than ten times of the carbon fiber heating wire current. The far-infrared sauna requires frequent start-up due to temperature requirements, and the carbon fiber heating cable is Parallel circuit, so the carbon fiber heating cable system starts when the current is stable.

life:

Carbon fiber heating cable uses non-metallic carbon as a heating element, which can ensure that the heating element does not oxidize at low temperatures, its life ≥ 6000 hours. The power attenuation of metal cables is only different among manufacturers, and the attenuation of the process varies.

Health function:

More than 75% of the carbon fiber heat-generating tube is far-infrared and has a wavelength of 4 to 14 μm . This wavelength makes 70% to 80% of the human body generate resonance by water molecules. It can promote the increase of cell temperature in human skin and subcutaneous tissues, and make the human body produce heat transfer from the inside to the outside. It promotes and improves the body's blood circulation; It helps to eliminate body fatigue and body function recovery, enhance metabolism, and improve human immune function.

Process control is easy:

The carbon fiber heat pipes are connected in parallel, have many contacts, and the process is complicated. The relative metal cables are much more complicated.

